



Contain-It™

Easy and Reliable Secondary
Containment Piping System

→ Split Pipe and Fittings
→ Solid Pipe



Contain-It Offers

- Split pipe and fittings
- Fits over virtually any carrier system
- Lightweight, easy to install
- Clear construction for visual leak detection
- Interlocking construction
- Engineered bonding media channels and flanges
- Pre-drilled bonding media injection ports
- Quick and easy fitting clips
- Predetermined fitting clip locators

Applications

The retrofit capability and chemical resistance of Contain-It make this an ideal choice for containment piping of chemical process lines.

When you combine the advantages of Contain-It with George Fischer's complete line of thermoplastic piping systems, you'll see that you can use "one source" for all your process and waste piping needs.

The technical data given in this publication implies no warranty of whatever kind and is subject to change without notice. Please consult our Terms and Conditions of Sale.

Split Pipe and Fittings

With pipe split along its length, the Contain-It piping system can be installed over virtually any carrier system. The carrier system can be tested without interference from the containment piping. Any leaks found during testing can be easily repaired. Leak detection cable can be installed as the split components are assembled, eliminating the need for time consuming cable pulling or the inclusion of lines to pull the cable. Containment piping can be retrofitted over plastic and metallic systems above and below ground, protecting employees, equipment and the environment. Split pipe and fittings are available in 4" and 6".



Solid Pipe


Solid pipe may be combined with split fittings in installations which do not require retrofit capability or where it is preferred to pull a leak detection cable. Solid Pipe is available in 4" and 6".

Flexible Adapter

Flexible adapters allow connection to metal or chemical resistant plastic carrier systems other than PVC.

Centralizer

Centralizers center and support the carrier pipe. They are available for IPS, metric and CTS carrier pipes.



Environmental Protection Requirements

Federal, state and local regulations have been created to protect our environment from industrial pollution. Many of these regulations provide criminal penalties for owners, managers, and employees for environmental damage caused by chemical spills and leaks.

Industry has been assessed clean-up expenditures which far exceed the costs to install protective measures. When penalties and fines are added to the costs of cleaning up spills and leaks, it becomes obvious that industry has a legal and financial responsibility for protecting our environment. George Fischer's Secondary Containment System provides the necessary environmental protection at a fraction of potential clean-up costs. The system includes many features which yield benefits to the owner, engineer and installer.



Injection Bonding System

The Injection Bonding System provides a controlled application of the bonding media, eliminating the mess usually associated with brush-applied resins and solvent cements. The bonding media is injected into the interlocking groove found on split pipe and interlocking channel found on split fittings to provide a leak-free seal.



Clear Polyvinyl Chloride Construction

The clear construction allows for total inspection of the annular space which, in above ground installations, may eliminate the need for expensive leak detection systems. Polyvinyl Chloride's chemical resistance, high tensile strength and good impact resistance provides a material that is suitable for a broad range of applications.

Pressure Rated

Although normal containment systems are not required to handle high pressures, the Contain-It system can be pressure tested via low pressure air or hydrostatically as defined in the chart below.

size	with air	with water	
		with flexible termination fittings or female adapter	with rigid termination fittings
4"	5 psi (0.3 bar)	5 psi (0.3 bar)	32 psi (2.2 bars)
6"	5 psi (0.3 bar)	5 psi (0.3 bar)	32 psi (2.2 bars)

Advantages Over Competitors

Contain-It requires fewer and less expensive tools than other containment piping systems. With Contain-It, there are no gaskets or hinges to align, which simplifies the installation procedures. Except for the common pipe preparation tools, all you'll need for Contain-It are the following:

- Fitting Clips and Hammer: we provide the clips to hold the fittings in place prior to bonding. The hammer is used to drive the clips into place.
- Pipe Clamp: helps to snap the split pipe together
- Drill and Counterbore Drill Bit: to drill injection ports when needed
- Injection Gun: to inject bonding adhesive into the fittings

Specification for Contain-It

The secondary containment piping system shall be Contain-It, as manufactured by George Fischer Sloane, Inc. The piping system shall consist of clear unpigmented Polyvinyl Chloride pipe and fittings. The pipe shall be either solid or longitudinally split. The fitting shall be manufactured in two equal halves. The pipe shall align via tongue and groove construction. The pipe and fitting joints shall be welded together via the George Fischer Injection Bonding Process. Prior to injection bonding, the fitting shall be held together by the clips provided. The clips shall be affixed over the integral fitting clip locators. Final containment inspection shall be accomplished via low pressure air or hydrostatic test per manufacturer's recommendations.



Contain-It™

Secondary Containment Piping System

George Fischer Sloane, Inc.

7777 Sloane Drive

Little Rock, AR 72206

tel: (501) 490-7777

(800) 423-2686

fax: (877) 423-2689

sloane.ps@georgfischer.com

www.us.piping.georgfischer.com



Certified QMS ISO 9001: 2000
Certified EMS ISO 14001: 1996



Australia

George Fischer Pty Ltd
Kingsgrove NSW 2008
Phone +61(0)2-9554 3977
australia.ps@georgfischer.com
www.georgfischer.com.au

Austria

George Fischer Rohrleitungssysteme GmbH
3130 Herzogenburg
Phone +43(0)2782-856 430
austria.ps@georgfischer.com
www.georgfischer.at

Belgium/Luxembourg

George Fischer NV/SA
1070 Bruxelles/Brüssel
Phone +32(0)2-556 40 20
be.ps@georgfischer.com
www.georgfischer.be

Brazil

George Fischer Ltda
04795-100 São Paulo
Phone +55(0)11-5687 1311
br.ps@georgfischer.com
www.georgfischer.com.br

China

George Fischer Piping Systems Ltd Shanghai
Pudong, Shanghai 201319
Phone +86(0)21-5813 3333
china.ps@georgfischer.com
www.cn.piping.georgfischer.com

Denmark/Iceland

Georg Fischer A/S
2630 Taastrup
Phone +45 (0)70 22 19 75
info.dk.ps@georgfischer.com
www.georgfischer.dk

France

Georg Fischer S.A.S.
93208 Saint-Denis Cedex 1
Phone +33(0)1-492 21 34 1
fr.ps@georgfischer.com
www.georgfischer.fr

Georg Fischer DEKA GmbH
35232 Dautphetal-Mornshausen
Phone +49(0)6468-915-0
deka.ps@georgfischer.com
www.dekapipe.de

Greece

Georg Fischer S.p.A.
10434 Athens
Phone +30(0)1/882 04 91
office@piping-georgfischer.gr

India

George Fischer Piping Systems Ltd
400 093 Mumbai
Phone +91(0)22-2821 7749
in.ps@georgfischer.com

Italy

Georg Fischer S.p.A.
20063 Cernusco S/N (MI)
Phone +39 02-921 861
it.ps@georgfischer.com
www.georgfischer.it

Japan

Georg Fischer Ltd
556-0011 Osaka
Phone +81(0)6-6635 2691
jp.ps@georgfischer.com
www.georgfischer.jp

Malaysia

Georg Fischer [M] Sdn. Bhd.
47500 Subang Jaya
Phone +603-8024 7879
conne.kong@georgfischer.com.my

Netherlands

Georg Fischer N.V.
8161 PA Epe
Phone +31(0)578-678 222
nl.ps@georgfischer.nl
www.georgfischer.nl

Norway

Georg Fischer AS
1351 Rud
Phone +47 67 18 29 00
no.ps@georgfischer.com
www.georgfischer.no

Poland

Georg Fischer Sp. z o.o.
02-226 Warszawa
Phone +48(0)22-313 10 50
poland.ps@georgfischer.com
www.georgfischer.pl

Romania

Georg Fischer
Rohrleitungssysteme AG
70000 Bucharest - Sector 1
Phone +40(0)21-222 91 36
ro.ps@georgfischer.com

Singapore

George Fischer Pte Ltd
417 845 Singapore
Phone +65(0)67-47 06 11
sgp.ps@georgfischer.com
www.georgfischer.com.sg

Spain/Portugal

Georg Fischer S.A.
28009 Madrid
Phone +34(0)91-781 98 90
es.ps@georgfischer.com
www.georgfischer.es

Sweden/Finland

Georg Fischer AB
12523 Älvsjö-Stockholm
Phone +46(0)8-506 775 00
se.ps@georgfischer.com
www.georgfischer.se

Switzerland

Georg Fischer Rohrleitungssysteme [Schweiz] AG
8201 Schaffhausen
Phone +41(0)52-631 30 26
ch.ps@georgfischer.com
www.piping.georgfischer.ch

United Kingdom/Ireland

George Fischer Sales Limited
Coventry, CV2 2ST
Phone +44(0)2476 535 535
uk.ps@georgfischer.com
www.georgfischer.co.uk